

## Reference Material and Inter-laboratory Quality Control Materials Product Summary

September 2018

Version: 2

**Assigned Values:** Values provided have been generated from an Inter-Laboratory Proficiency Programme (ILPP). The reference material values provided in this summary are the mean of the results after the exclusion of statistical outliers. The Assigned Range provided for the Inter-laboratory QC Materials is the range of test values available for purchase. Each Reference and QC Material comes with a Data Summary Sheet.

**Missing Values and Available Tests:** For Reference Materials where property values do not meet the statistical criteria, the summary values have not been provided. For this reason, not all tests will be available for every Reference Material of the same matrix. However, if there are 3 or more data points available, an Assigned Value will be provided with the corresponding QC material.

**Sample Sizes:** Available sample sizes are shown for reference materials.

*Note: When ordering QC materials, please quote both the Product ID AND the process run*

### Reference Materials: Milk - Ultra Heat Treated Milk

<b>Matrix: Milk</b>	Product ID	324-C-1
	Expiry Date	31 Oct 18
	Sample Size	15mL
	UHT Milk Protein (%m/m)	3.60
	UHT Milk RG Fat (%m/m)	3.44
	UHT Milk Total Solids (%m/m)	12.1

### QC Material: Milk - Ultra Heat Treated Milk

<b>Matrix: Milk</b>	Product ID	10134-QC	10331-QC	10330-QC
	Process Run	PR6896	PR7003	PR7003
	Expiry Date	8 Oct 18	20 Nov 18	18 Dec 18
	Sample Size	15mL	15mL	15mL
	Titrateable Acidity (°T)	12.6	14.3	13.0